

BIG DATA IN MEDICINE

Prof. dr Aleksandar Kupusinac

University of Novi Sad

Faculty of Technical Sciences

2018

Abstract

- The modern researches in medicine are based on large datasets, with lot of complex and unconventional cases, where classical statistical methods are usually inapplicable for the data analysis.
- In that case, methods of machine learning are better solution, since they can learn complex relationships from known data and than apply this knowledge on unknown data.
- Here will be presented the use of artificial neural network (ANN) for medical predictions.

Predicting body fat percentage based on gender, age and BMI by using artificial neural networks

Kupusinac Aleksandar, Stokić Edita, Doroslovački Rade: Predicting body fat percentage based on gender, age and BMI by using artificial neural networks. *Comput Methods Programs Biomed.* 2014 Feb;113(2):610-9.
doi:10.1016/j.cmpb.2013.10.013.

BODY FAT PERCENTAGE

- In the human body, the relation between fat and fat-free mass (muscles, bones etc.) is necessary for the diagnosis of obesity and prediction of its comorbidities.
- Numerous formulas, such as *Deurenberg et al.*, *Gallagher et al.*, *Jackson and Pollock*, *Jackson et al.* etc., are available to predict body fat percentage (BF%) from gender (GEN), age (AGE) and body mass index (BMI).

IDEA

- These formulas are all fairly similar and widely applicable, since they provide an easy, low-cost and non-invasive prediction of BF%.
- This paper presents a program solution for predicting BF% based on artificial neural network (ANN).

EXPERIMENT

- ANN training, validation and testing are done by randomly divided dataset that includes **2755 subjects**
- 1332 women (GEN = 0) and 1423 men (GEN = 1), with AGE from 18 to 88 y and BMI from 16.60 to 64.60 kg/m².
- BF% was estimated by using Tanita bioelectrical impedance measurements (Tanita Corporation, Tokyo, Japan).

RESULTS

- ANN inputs are: GEN, AGE and BMI, and output is BF%.
- The predictive accuracy of our solution is 80:43%.
- The main goal of this paper is to promote a new approach to predicting BF% that has same complexity and costs but higher predictive accuracy than above-mentioned formulas.

ANN

- ANN takes known data, i.e. previously solved examples, recognizes complex patterns between inputs and outputs and then applies this knowledge on unknown data.
- The hidden relationships between inputs and outputs are learned so subsequently ANN is able to predict the output from a given input of new data.

FORMULAS

Deurenberg et al. formula

$$BF\% = 1.20 \cdot BMI + 0.23 \cdot AGE - 10.80 \cdot GEN - 5.40$$

Deurenberg et al. formula

$$BF\% = 1.29 \cdot BMI + 0.20 \cdot AGE - 11.40 \cdot GEN - 8.00$$

Gallagher et al formula

$$BF\% = 1.46 \cdot BMI + 0.14 \cdot AGE - 11.60 \cdot GEN - 10.00$$

FORMULAS

Jackson and Pollock formula

$$BF\% = 1.61 \cdot BMI + 0.13 \cdot AGE - 12.10 \cdot GEN - 13.90$$

Jackson et al. formula

$$BF\% = 1.39 \cdot BMI + 0.16 \cdot AGE - 10.34 \cdot GEN - 9.00$$

COMPARATION

Table 4: The comparing ANN with formulas ($F_1 - F_5$).

Method	${}^{AV}MPA\% \pm {}^{STD}MPA\%$	$\Delta\%$
ANN	80.43 ± 1.48	—
(F_1)	77.31 ± 1.55	+3.12
(F_2)	79.20 ± 1.39	+1.23
(F_3)	78.95 ± 1.34	+1.48
(F_4)	78.10 ± 1.26	+2.33
(F_5)	78.61 ± 1.41	+1.82

CONCLUSIONS

- ANN showed higher predictive accuracy for +1.23% to +3.12%.
- Based on that, we conclude that this paper presented a new approach to predicting BF% that has same complexity and costs but higher predictive accuracy.

THANK YOU!